



ADDENDUM NO. 2

October 2, 2009,

PHASE I

BARNUM AVENUE STREETScape AND SIDEWALK IMPROVEMENTS

BID NO. 2009-076

TOWN OF STRATFORD, CT

Addendum No. 2 consists of clarification of the following issues:
Maintenance of Sewer flows and Protection of Utilities

ADDENDUM NO. 2

- A2.1) Maintenance of Sewer flows- The contractor shall provide the necessary labor and materials necessary to provide continuous sewer service to the property owners served by the sewer being replaced. Adequate by-pass pumping shall be provided to maintain sewer flows. The property owners shall be notified twenty four (24) hours in advance of any temporary shut down necessary to install the by-pass measures both on the main line and the individual building laterals. If necessary, these interruptions shall occur at non-business hours. No separate payment will be made for maintenance of sewer flows.
- A2.2) Protection of Utilities- The contractor shall protect underground and overhead utilities during construction. The contractor shall coordinate construction with the respective utility owner and property owner, should a service be in conflict with construction. Underground utilities shall be supported uninterrupted during construction. Overhead utilities shall be protected during construction. When excavating near utility poles, contact the respective pole owner, United Illuminating Co or AT&T, to determine the necessity for supporting the pole. No separate payment will be made for supporting the utility pole.